

Solving the Top 5 Virtualized Application and Infrastructure Problems

By David Davis, vExpert Co-Founder , ActualTech Media



Table of Contents

Table of Contents2
Introduction
Key Factors
#1 Isolating Root Cause in Single and Multi-Tier Applications4
#2 Preventing Network Latency for Critical Applications
#3 Identifying vCPU Over and Under-Provisioning7
#4 Troubleshooting Storage I/O Contention and I/O Latency for Tier-1 Applications
#5 Measuring and Preventing Virtual Application Downtime
Selecting the Best Virtualization and Application Monitoring Tool
About the Author
About Uila14

ActualTech Media

ActualTech Media $\ensuremath{\mathbb{C}}$ 2015. All rights reserved.

Under no circumstances should this document be sold, copied, or reproduced in any way except with written permission.

The information contained with the document is given in good faith and is believed to be accurate, appropriate and reliable at the time it is given, but is provided without any warranty of accuracy, appropriateness or reliability.

The author does not accept any liability or responsibility for any loss suffered from the reader's use of the advice, recommendation, information, assistance or service, to the extent available by law.

Introduction

Today's companies no longer hold back when it comes consolidating servers using server virtualization. The servers (and their applications) dubbed "the low hanging fruit" of virtualization have long since been virtualized. Now the only fruit that's left are the business-critical applications and they're being virtualized at a faster rate than ever before. They aren't being virtualized because it's easy to do so, but rather because the underlying infrastructure hardware and software are mature and robust.

Once virtualized those business-critical applications often initially seem to work with the alreadyvirtualized server, storage, and hypervisor. However, after time, the great performance that you and your end users have come to expect from those business-critical applications, day after day, stops. Why? Is it an application or infrastructure problem? What's the root cause of the problem? How do you solve it? Where do you even go to find these answers?

Inevitably this is exactly where too many companies find themselves today — lost and with more questions than answers.

To learn how to solve the top 5 virtualized application and infrastructure problems, read on.

Key Factors

From talking with hundreds of companies, it's clear that the most common virtualized application and infrastructure problems all relate back to the following key factors:

- **Root cause** Elusive to most data center applications, data center admins struggle to identify the root cause of a problem fast enough to prevent the impact of negative application performance on their users
- **Complete visibility** —It's rare to find an organization that doesn't use a half-dozen or more applications to manage, monitor, and troubleshoot their data center. These fragmented tools lead finger-pointing, missed opportunities to prevent downtime, and delays in problem resolution.
- Over and under provisioning —We all want to maximize the return on infrastructure but too many companies seesaw between over and under provisioning their infrastructure, thus causing either wasted resources or, the much more damaging, performance / capacity bottlenecks across the 4 critical data center resources: compute, memory, storage, and network.

- Lack of application-oriented metrics Management and monitoring tools provide hundreds of metrics but rarely do they relate to anything meaningful to end users or application owners. The real measure of the infrastructure is the response time of the business-critical applications as viewed by the end users who use them daily.
- Infrastructure and application silos —At most companies, every infrastructure stack and application group are broken down into management silos. This siloed management approach causes communication barriers, troubleshooting delays, and finger-pointing, further adding to the stress and downtime during problem scenarios. This exasperates the issue of each management silo having its own management tool and limited insight into other management silos.

With this high-level view of the key factors effecting the application and infrastructure, now let's learn what we have determined are the top 5 application and infrastructure problems and how to solve them.

#1 Isolating Root Cause in Single and Multi-Tier Applications

Virtual infrastructures are comprised of many different pieces of hardware and software making root cause identification challenging for even simple applications. However, since companies today need to virtualizing complex, multi-tiered, business-critical applications, the challenge of root cause identification had become greater than ever.

Let's look at an example of a 4-tier business application made up of a load balancer, front end server, business application server, and database each running on separate virtual machines. The virtual machines are all reliant on the underlying virtual infrastructure that provides the CPU, memory, storage I/O, and network I/O resources. The first challenge for any performance and capacity monitoring tool is gain visibility into all the resources that could cause trouble for an application. Typically those resources are made up of:

- CPU
- Memory
- Storage (I/O or capacity)
- Network I/O
- Application services

Many tools will try to do this by installing guest OS agents across the infrastructure, but this is inefficient and just increases the management burden. Instead, you should look for tools that can gain the level of insight needed without using guest OS agents.

Even with insight into these resources, rarely can management tools automatically learn the dependencies required for an application to work. Examples of dependencies might be DNS, a database server, file share access, and more. Also, just because an application has all the infrastructure resources available that it needs, an application can't work without its application dependencies.

Finally, even with its application dependencies in place, how are those dependencies performing? Are DNS lookups experiencing high latency and that's what is causing a financial application to run slow?

The **solution** to this challenge is to select a management tool that has both:

- 1) Complete visibility into all the infrastructure resources
- 2) Complete visibility into application dependencies

Root Cause Vie	w	AL GALED ALL GALAGE	NAE DE AE ANA										? 🗙
HTTP App Res	ponse Time fo	or Weblogic_11g-s1											
	litalaan			b - d d - a ah 16 ahaad 16 a	 ull		- 1) 1 211- 11 ml	l	 Iaalaa	. 	, , , , , , , , , , , , , , , , , , ,		i di hidi haballaha
		M 🔶 Max: 11374ms M 🕹 Min: Oms											rformance Health 66
🗙 Weblogic_1	1g-s1 Health												
()"	Root Cause Probability		100	0,	Root Cause Probability		100		7.	Root Cause Probability		93
cluster Stand time. CPU-Re	ard-Cluster ma	ay later affect VM Web VMs spent waiting for	logic_11g-s1 and	mitted CPU resources at http application response tandard-Cluster is	for memory swap in) a increased thus indicati	nse time is not impacted, but mei t cluster Standard-Cluster and f ing stress for over-commitment. A ster may prevent future http appl	host esxhost4.my Adding additional	ydatacenter.com has memory resources to		host esxhost	onse time is not impacted, t 4. mydatacenter.com have		
CPU Healt	h				Memory Health				Stora	ge Health			
Dependent Ser	vices			A.S		2							Prev 1 2 Next
	Ар	plication	29	-96		Application	100	63			Application	97	100
Root Cause Probability	71.			Network performance	37% Root Cause Probability	anathalat		Network performance	Root C Probabil	ity			Network performance
mysql Pi	ovided By	/ Oracle_11g-n	1		mysql Provide	d By DB-LB-002			myso	al Provide	ed By Oracle_11g	-n2	
⊞Worst Trans	action												
Q													
App Resp. Time	Client	Server O	Service	Request						Reply			○ Time ○
12611	APP-LB-002	\$1	http	41495::GET / HTTP/1.0 /		Uila Networks Confider	ntial – © 201	.5		80::HTTP/1.0	200 OK		4/12/2015 5:5:0
10100		Weblogic 11g-	lane L	14 100 OFT 1004 11071 11770									1400045550

Figure 1

There is a new company in the world of virtualization monitoring called Uila. Their new virtualization monitoring tool unique in many ways. Throughout this tech brief, we'll highlight how Uila is able to help solve these common virtualized applications and infrastructure problems.

When it comes to isolating root cause in single and multi-tiered virtualization applications, Uila – creator of a leading application and infrastructure performance monitoring tool – is able to correlate application response time to infrastructure health across all the tiers of the multi-tiered application, as shown in Figure 1. At the same time, it's able to provide real-time application transaction latency so you can understand the end user experience.

#2 Preventing Network Latency for Critical Applications

Many virtual infrastructure management tools have insight into CPU, memory, and storage, but it's the network by far that is the most overlooked resource critical to application performance. After all, without reliable high-speed networking, applications can't access their dependencies or that access is slow (causing the application to be slow).

Most companies either decide that slow application performance must be the fault of the network (the "guilty until proven otherwise" theory) OR they spend a tremendous amount of time and resources troubleshooting a slow application only to find out later that it was a networking issue. Virtualization management and monitoring tools should provide network visibility so that they can monitor network utilization along with all the other infrastructure resources when performing root cause analysis.

Of all the network statistics that one could monitor, network latency is the most critical. Network latency is the time that a packet takes to traverse a network connection. It's high network latency that can quickly kill application performance (especially for multi-tiered applications).


R Switch ×	-	Host X			vSwitch ×	P	rt Group X		VM x	
									Y	
									Weblogic_1	11g-s2
,										
	Oracle_1	1g-n1								
				Oracle_11g — Exchange						
	vApp	Tota	Bytes %	App Resp. Ti	me Network Resp. Tim	ne Fatal Retr	y Zero Win.	Reset	Oracle_11g	
	Walmart-dat	tabase 66.	74 MB 100%	43 ms	62 ms	0/0	0/0	0/0	- Oracle_11g	p-n1
tisco-sg300-sw2				Traffic Flow To					- DB-1 002	11g-st
	Classifier	Total Bytes	s % Ap	p Resp. Time	Network Resp. Time	Fatal Retry	Zero Win.	Reset		
	mysql	63.91 MB	95.75%	158 ms	N/A	0/0	0/0	0/0		
	http	1.47 MB	2.21%	54 ms	1779 ms	0/0	0/0	0/0		
	postgres	1.35 MB	2.04%	722 ms	N/A	0/0	0/0	0/0	FS-101	
	tcp	470 B	0%	N/A	N/A	0/0	0/0	0/0		
	Drill down	n(Zoom In)				11	C.C.			
	🗷 Analyze A	Application F	Performance			11//	<u>lege</u>		- Apago 2.	4-52
Undefined	esxhost2.mydatacenter.com				dvSwitch1		Citibank		Apache_2.	17 4-61
								K	DB-LB-001 Zimbra_8.0 MySQL-N2	Jan IIII
									- MySQL-MC - MySQL-N1	зт
									- MongoDB - MongoDB	2.6-n3 2.6-n1
							Nike		MongoDB_ IIS_7.0-s2 SQL_2012	WINHHOL
		- esxhost	13:mydatacenter.com			_	Sony		- PostgreSQ - PostgreSQ	L_9.2-n3
									- PostgreSQ - SQL_2012	L_9.2-n1

In order to monitor and prevent network latency, the **solution** is to select a management tool that provides comprehensive monitoring of application latency on the network. For example, Figure 2 shows how Uila monitors the network latency of a multi-tiered application and is able to quickly identify which of the tiers is experiencing high network latency, resulting in application performance degradation for end users.

#3 Identifying vCPU Over and Under-Provisioning

We all know that a virtual machine that doesn't have enough vCPU to provide resources for CPU hungry applications will result in poor application performance. Certainly you need a monitoring tool to identify that shortage. However, significant over-provisioning of vCPU across many virtual machines can also result in a performance penalty.

No matter the resource (vCPU, virtual memory, storage I/O, or network I/O), ensure that the virtualization monitoring tool that you select can recognize under provisioning as well as over provisioning.



As you can see in Figure 3, Uila is able to identify over- and under-vCPU provisioning across clusters, hosts, and virtual machines. Not only will under and over provisioned VMs be identified, but the application performance impact will be identified all the way down to the specific application and time period in which the end user applications were negatively effected.

#4 Troubleshooting Storage I/O Contention and I/O Latency for Tier-1 Applications

As the utilization of the virtual machines in the virtual infrastructure increases and as the number of virtual machines virtualized increases, so does storage I/O utilization. In fact, VMware did an analysis of all the calls that they received in their support group and found that the vast majority of all problems could be tied back to storage issues. It's common for companies to be caught off guard by storage I/O issues for two different reasons:

 When new applications are virtualized it can be difficult to size their storage I/O requirements. Enterprise applications tend to use more storage I/O than expected, and the result can be an unexpected storage I/O bottleneck. 2) Storage I/O is very "bursty" and is very dependent on the nature of the application. The result is that storage I/O contention issues can come and go quickly, making them difficult to identify. In many cases, storage I/O contention can happen so quickly that common monitoring tools don't notice it or label it as a bottleneck; however, end users will likely still notice when they experience delayed application response.

Like the network latency issue we discussed previously, storage latency in multi-tiered businesscritical enterprise applications can be devastating when it happens at just one of the tiers and requires extensive troubleshooting to identify.


Since storage I/O throughput is a very expensive resource (and today's price of flash storage makes it cost prohibitive for all applications), most organizations can't over-provisioning storage I/O much more than they need to keep their applications running with acceptable performance. So what's the solution?

In order to be able to provision just the right amount of storage I/O for the various tiers of a multitiered application, the **solution** is to know the application dependencies and know the storage I/O average utilization and maximum utilization between all the tiers. Only with that information can you properly provision (but not over provision) the storage I/O between the multiple tiers.

Figure 4 shows how Uila is able to report both the application dependencies as well as the storage I/O utilization between each.

	Oracle_11g-	กา					
		1	I/O Flow From				
	Host	Healt Scor		/Write ency	Read/Write Operations PerMinute	Oracle_11g-n3	809
atastore1 (3)	esxhost4.myda	acenter.colth 75 I/O Flow To		20 ms	121/87 Read/Write Operations PerMinute	G	
	Virtual Disk		Health Read/ Score Late				
	scsi0_0	8	100/	64 ms	71/67	Waimart-test-n5	50
	Services Provided	Application Resp. Time	Transactions PerMinute	Traffic/s	Packets/s	Zimbra_8.0-s1	
	http	3847ms	69	1.19 KB	Wet4 dic the-s	Exchange_2013-s1 == DB-LB-001 == Oracle_11g-n4 ==	803 803 803
	tcp	156ms	329	80 B	OMySQL-N	Apache_2.4-s2	803
	postgres	2534ms	67	2.13 KB	5	Weblogic_11g-s2	SC5 SC5
atastore1 (2)	mysql	3048ms	3.3K	22.57 KB	137	SQL 201 2 L	903
atastore1 (4)	Drill down(Zo		sxhost4.mydatacenter.com		Oracle_11g-n	Orac_11g-n1	903

Knowledge is power and with this kind of knowledge, you (or your tool) now have the power to identify storage I/O bottlenecks between any of the tiers of a tier 1 application. This allows you to prevent finger-pointing between the different infrastructure silos and prevent or minimize downtime for the users of the application (shown in Figure 5).




#5 Measuring and Preventing Virtual Application Downtime

When a problem does occur, finding the root cause and being able to solve it quickly is vital. Even better than that would be to be able to monitor capacity over time and prevent problems across the entire infrastructure and all the applications — before they happen.

The ultimate **solution** for measuring and preventing application and infrastructure downtime, for complex multi-tiered business-critical applications is to have a comprehensive solution for infrastructure AND application monitoring. As you can see in Figure 6, Uila provides such a solution by showing network, CPU, storage, and memory health, across all hosts and clusters and predicts future application disruption.



Additionally, Uila is able to trend application response time (Figure 7) over time, and correlate that with infrastructure resource utilization to quickly identify what caused application performance degradation in the past so that it can be prevented in the future.



Selecting the Best Virtualization and Application Monitoring Tool

You started the virtual infrastructure to maximize return on investment and to ease administrative burden. In order for any virtual infrastructure to be successful by pushing capacity utilization, you must be able to predict and identify capacity bottlenecks to maintain optimal end user application performance. Thus, it's inevitable that any company running a virtual infrastructure will need a performance and capacity monitoring tool.

When you go to select your first tool or your next tool, look for the latest features and capabilities which include:

- Performance / capacity problem prediction (and super-fast troubleshooting)
- Root cause problem identification
- Complete visibility across the infrastructure (including the virtual network) and applications
- Application-awareness and application performance monitoring over time, all without having to install agents in each virtual machine

To register for a free trial of Uila's virtualization performance and capacity monitoring tool (which provides all of these capabilities), visit

www.Uila.com

About the Author



David Davis is a well-known virtualization and cloud computing expert, author, speaker, and evangelist. David's library of popular virtualization video training courses can be found at Pluralsight.com. He holds several certi cations including VCP5, VCAP, CCIE, and has been awarded the VMware vExpert award 6 yearsrunning. His website, covering the latest in virtualization is VirtualizationSoftware.com.

About Uila

Uila with its Application-Centric Infrastructure Monitoring and Analytics identifies performance bottlenecks for business-critical services & plans Workload Migration strategies for Private & Hybrid Cloud environments. Uila provides service dependency mapping, full stack correlation with 1-click root cause analysis and patented deep packet inspection technology that understands over 2,700 application protocols for transactional meta data analysis. Businesses use Uila to align themselves with their IT Operations team and cut time to resolution from days to minutes, keep their application at peak performance at all time and ensure end-user satisfaction to the fullest.

